DO NOT exceed 3 m between bait stations for mice, or 9 m for rats. DO NOT use bait stations further than 2 m from buildings.

DIRECTIONS FOR USE

Mice require several bait stations, 50 g per bait station (less than 1 g will kill a mouse). Rats require large quantities of bait in one or two locations, 50 - 100 g per station (4 - 6 g will kill a rat). For effective control continue until feeding ceases.

Baiting strategy: Eliminate as far as practicable, all other food sources. Bait areas where conditions might encourage rodent activity. Place bait stations under cover. Inspect baits regularly[during routine inspections]. Replace eaten or old/deteriorated baits. If eaten quickly increase number of bait stations. Continue observation and replenish until no more baits are taken. Baiting for at least two weeks is necessary to reduce rat/mouse numbers.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

THE USE OF THIS PRODUCT FOR THE CONTROL OF PROTECTED NATIVE RODENTS REQUIRES PERMISSION FROM WILDLIFE AUTHORITIES.

GENERAL INSTRUCTIONS

Pellets are not subject to wind dispersal. Locate bait stations along walls or rafters and in dark sheltered spots where there are signs of rodent activity. Nail or fix in place if relevant. Record the number and locations of bait stations for the purpose of replenishment and later removal. Most deaths occur 4 to 7 days after consumption of bait.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Keep away from food and water and surfaces which come in contact with food and water.

PROTECTIONS

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate dams, streams, rivers, watercourses or drains with the bait or used

The bait is hazardous to pigs, cats, dogs, poultry, birds and wildlife and care should be exercised in its use.

DO NOT place baits in locations which are accessible to domestic animals, livestock or birds. The product is restricted to use in and around buildings, (within 2 metres) or enclosed spaces.

STORAGE AND DISPOSAL

Store in the tightly closed, original container in a dry well-ventilated area, as cool as possible out of direct sunlight. Shake empty container onto baiting site. Break, crush or puncture and deliver empty packaging to an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Search for and burn or bury all rodent bodies, do not place in refuse bins or in rubbish tips. Ensure uneaten baits are removed and disposed of with the empty containers when the rodent activity has ceased.

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 0.05 g/kg BRODIFACOUM Contains Denatonium Benzoate (Bittering Agent)

EASY TO USE

ONE FEED FAST ACTING

NET 10 kg

Manufactured by:

BELLABORATORIES, INC.
3699 Kinsman Blvd.
Madison, WI 53704 U.S.A.
www.belllabs.com



Australian Agent: Bell Australia Pty Ltd Level 27, Rialto South Tower 525 Collins St Melbourne, VIC, 3000 Australia

MADE IN USA

EXECTY DIDECTIONS

Poisonous if swallowed. Do not inhale dust. Do not touch bait. Use scoop or measure. If on skin and after each baiting, wash thoroughly with soap and water. Vitamin K₁ (Phytomenadione) is antidotal.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26: New Zealand 0800 764 766.

SDS

For further information please refer to the Safety Data Sheet which can be obtained from the supplier.

In a transport emergency dial 000, Police or Fire Brigade.

For specialist advice in an emergency only, call (02) 9037 2994 (24 h).

CONDITIONS OF SALE

The use of DITRAC® Rodenticide is beyond the control of the manufacturer. Therefore, no warranty, expressed or implied is given by Bell Laboratories, Inc. regarding its suitability or efficacy for any purpose. Bell Laboratories, Inc. cannot accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those nonexcludable conditions implied by the Competition and Consumer Act 2010.

APVMA APPROVAL NO: 49868/113073

GHS Hazard and Precautionary Statements May cause damage to organs through prolonged or repeated exposure.

Do not eat, drink or smoke when using this product. Avoid release to the environment. If eye irritation persists: seek medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. In case of fire: Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog.



Batch No:

DOM:

011121| 0320 Product Code: 931006

6477